09/04/2007,10519807c.trn

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTASXY1626

PASSWORD:
* * * * * * RECONNECTED TO STN INTERNATIONAL * * * * * *
SESSION RESUMED IN FILE 'HCAPLUS' AT 15:59:34 ON 09 APR 2007
FILE 'HCAPLUS' ENTERED AT 15:59:34 ON 09 APR 2007
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	97.46	269.77

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-14.04	-14.04

=> file reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	97.46	269.77

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-14.04	-14.04

FILE 'REGISTRY' ENTERED AT 15:59:46 ON 09 APR 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 8 APR 2007 HIGHEST RN 929518-97-8
DICTIONARY FILE UPDATES: 8 APR 2007 HIGHEST RN 929518-97-8

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH December 2, 2006

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

http://www.cas.org/ONLINE/UG/regprops.html

=>
Uploading C:\Program Files\Stnexp\Queries\10519807react.str





chain nodes :
16 17 18
ring nodes :
1 2 3 4 5 6 7 8 9 10 11 12 13
chain bonds :
1-16 16-17 16-18
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-9 7-8 8-9 8-10 8-13 10-11 11-12 12-13
exact/norm bonds :
5-7 6-9 7-8 8-9 8-10 8-13 10-11 11-12 12-13
exact bonds :
1-16
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6 16-17 16-18

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:Atom
11:Atom 12:Atom 13:Atom 16:CLASS 17:CLASS 18:CLASS

L5 STRUCTURE UPLOADED

=> d l5
L5 HAS NO ANSWERS
L5 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l5
SAMPLE SEARCH INITIATED 16:00:14 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED - 7 TO ITERATE

100.0% PROCESSED 7 ITERATIONS 0 ANSWERS
SEARCH TIME: 00.00.01

```
FULL FILE PROJECTIONS:  ONLINE   **COMPLETE**
                        BATCH    **COMPLETE**
PROJECTED ITERATIONS:             7 TO      298
PROJECTED ANSWERS:                0 TO        0

L6             0 SEA SSS SAM L5

=> s l5 full
FULL SEARCH INITIATED 16:00:21 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -       72 TO ITERATE

100.0% PROCESSED       72 ITERATIONS                                4 ANSWERS
SEARCH TIME: 00.00.01

L7             4 SEA SSS FUL L5

=> file hcaplus
COST IN U.S. DOLLARS                                  SINCE FILE      TOTAL
                                                         ENTRY    SESSION
FULL ESTIMATED COST                                     172.10     441.87

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)            SINCE FILE      TOTAL
                                                         ENTRY    SESSION
CA SUBSCRIBER PRICE                                       0.00     -14.04

FILE 'HCAPLUS' ENTERED AT 16:00:26 ON 09 APR 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)


Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
the American Chemical Society and is provided to assist you in searching
databases on STN.  Any dissemination, distribution, copying, or storing
of this information, without the prior written consent of CAS, is
strictly prohibited.

FILE COVERS 1907 - 9 Apr 2007  VOL 146 ISS 16
FILE LAST UPDATED: 8 Apr 2007  (20070408/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

 This file contains CAS Registry Numbers for easy and accurate
 substance identification.

=> s l3/P and l7/ract
             3 L3/P
             6 L7
       2965078 RACT/RL
             6 L7/RACT
                 (L7 (L) RACT/RL)
L8           3 L3/P AND L7/RACT

=> d ed abs ibib hitstr 1-3
```

L8 ANSWER 1 OF 3 HCAPLUS COPYRIGHT 2007 ACS on STN
ED Entered STN: 18 Jan 2004
GI



I II

AB This invention pertains to a method for producing 1,3-benzodioxole derivs. with general formula of I [wherein R1 = OH or (un)substituted alkoxy; R2 = (un)substituted (hetero)aryl; n = 1-6]. For example, 2,3,4-trimethoxybenzoic acid was treated with 55% aqueous HI in AcOH to give 2,3-dihydroxy-4-methoxybenzoic acid (73%). The above compound was reacted with 1-methoxycyclopentene in cyclopentanone, followed by the addition of BuI in DMF in the presence of K2CO3 to provide 7-methoxy-1,3-benzodioxole-2-spirocyclopentane-4-carboxylic acid Bu ester. The ester obtained was reacted with 3,5-dichloro-4-picoline in THF in the presence of LiN(TMS)2 to afford II in 54% total yield. This invention provides a simple method to make 1,3-benzodioxole derivs. in high yields and large scale. I are useful compds. or intermediates as PDE IV inhibitors (no data).

ACCESSION NUMBER: 2004:41458 HCAPLUS
DOCUMENT NUMBER: 140:111406
TITLE: Process for preparation of 1,3-benzodioxole derivatives
INVENTOR(S): Atsumi, Toshiyuki; Yanagisawa, Arata; Chujo, Iwao; Tsumuki, Hiroshi; Mohri, Shinichiro
PATENT ASSIGNEE(S): Kyowa Hakko Kogyo Co., Ltd., Japan
SOURCE: PCT Int. Appl., 38 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004005276	A1	20040115	WO 2003-JP8478	20030703
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2491464	A1	20040115	CA 2003-2491464	20030703
AU 2003252467	A1	20040123	AU 2003-252467	20030703
EP 1535920	A1	20050601	EP 2003-762875	20030703
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
US 2005245750	A1	20051103	US 2004-519807	20041229
PRIORITY APPLN. INFO.:			JP 2002-194273	A 20020703
			WO 2003-JP8478	W 20030703

OTHER SOURCE(S): CASREACT 140:111406; MARPAT 140:111406

IT 185407-83-4P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of benzodioxole derivs.)
RN 185407-83-4 HCAPLUS
CN Spiro[1,3-benzodioxole-2,1'-cyclopentane]-4-carboxylic acid, 7-methoxy- (9CI) (CA INDEX NAME)



IT 185406-34-2P
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of benzodioxole derivs.)
RN 185406-34-2 HCAPLUS
CN Ethanone, 2-(3,5-dichloro-4-pyridinyl)-1-(7-methoxyspiro[1,3-benzodioxole-2,1'-cyclopentan]-4-yl)- (9CI) (CA INDEX NAME)

L8 ANSWER 1 OF 3 HCAPLUS COPYRIGHT 2007 ACS on STN (Continued)



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L8 ANSWER 2 OF 3 HCAPLUS COPYRIGHT 2007 ACS on STN
ED Entered STN: 13 Sep 2002
GI



I



II

AB Title compds. I [R1 and R2 independently = H, CN, (un)substituted alkyl, cycloalkyl, polycycloalkyl, alkenyl, etc.; or R1 and R2 are combined to represent a saturated carbon ring together with a carbon atom adjacent thereto; or R2, and R6 or R7 are combined to form a single bond; R3 = H, Ph, or halo; R4 = OH, alkoxy, etc.; A represents (un)substituted methylene or O; B represents O, NR6, (un)substituted methylene or ethylene; D represents (i) -C(R8)(R9)-X- (wherein X represents (un)substituted methylene, S, or (un)substituted N), (ii) -C(R10)=Y- [Y represents -C(R11)-Z- (wherein Z represents CONH, CONHCH2, or a bond), or N], or (iii) a bond; and R5 represents aryl, an aromatic heterocyclic group, cycloalkyl, pyridine-N-oxide, cyano, or lower alkoxycarbonyl; R6 = H, alkyl, cycloalkyl, alkenyl, (un)substituted aryl, etc.; R7 = H, (un)substituted alkyl, alkoxy, alkanoyloxy, etc.; R8 = H, OH, (un)substituted alkyl, cycloalkyl, aryl, aromatic heterocycle, etc.,; R9 = H, (un)substituted alkyl, cycloalkyl, alkenyl, alkoxy, etc.; or R8 and R9 combine to form O, S or (un)substituted amine; R10 = H, (un)substituted alkyl, cycloalkyl, alkenyl, alkoxy, etc.; R11 = H, CN, (un)substituted alkyl, cycloalkyl, alkenyl, alkoxy, etc.], or pharmaceutically acceptable salts thereof, are prepared and disclosed as phosphodiesterase 4A (PDE IV) inhibitors. Thus, II was prepared in 48% yield by conversion of 7-methoxy-2,3-dihydrobenzofuran-4-carboxylic acid to the corresponding

L8 ANSWER 2 OF 3 HCAPLUS COPYRIGHT 2007 ACS on STN (Continued)
acid chloride and subsequent amidation with 4-amino-3,5-dichloropyridine. Assays with recombinant human PDE4A, I demonstrated enzyme inhibitory activity values of 57-100 (%, 10-7M). As inhibitors of PDE IV activity, I
are useful as therapeutic agents for asthma, allergy, rheumatoid arthritis, psoriasis, myocardial infarction, depression, and the like.

ACCESSION NUMBER: 2002:696660 HCAPLUS
DOCUMENT NUMBER: 137:232641
TITLE: Preparation of benzofuran or benzodioxole derivatives which possess PDE IV inhibitory activity
INVENTOR(S): Ohshima, Etsuo; Kawakita, Takashi; Yanagawa, Koji; Iida, Kyoichiro; Koike, Rie; Nakasato, Yoshisuke; Matsuzaki, Tohru; Ohmori, Kenji; Sato, Soichiro; Ishii, Hidee; Manabe, Haruhiko; Ichimura, Michio; Suzuki, Fumio
PATENT ASSIGNEE(S): Japan
SOURCE: U.S. Pat. Appl. Publ., 166 pp., Cont.-in-part of U.S. Ser. No. 784,187, abandoned.
CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 7
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2002128290	A1	20020912	US 1997-974739	19971119
US 6514996	B2	20030204		
WO 9636624	A1	19961121	WO 1996-JP1327	19960520
W: AU, CA, CN, HU, JP, KR, NO, US				
RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CN 1154697	A	19970716	CN 1996-190529	19960520
US 6716987	B1	20040406	US 2001-23091	20011220

PRIORITY APPLN. INFO.: JP 1995-121537 A 19950519
JP 1995-258651 A 19951005
WO 1996-JP1327 A2 19960520
US 1997-784187 B2 19970115
JP 1996-307781 A 19961119
JP 1996-307782 A 19961119
JP 1996-307783 A 19961119
JP 1997-268399 A 19971001
JP 1997-268400 A 19971001
US 1997-974739 A3 19971119

L8 ANSWER 2 OF 3 HCAPLUS COPYRIGHT 2007 ACS on STN (Continued)
OTHER SOURCE(S): MARPAT 137:232641
IT 185407-83-4P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(intermediate; preparation and phosphodiesterase inhibitory activity of
substituted benzofuran and benzodioxoles and analogs thereof)
RN 185407-83-4 HCAPLUS
CN Spiro[1,3-benzodioxole-2,1'-cyclopentane]-4-carboxylic acid, 7-methoxy- (9CI) (CA INDEX NAME)



IT 185406-35-3P
RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
(target compound; preparation and phosphodiesterase inhibitory activity of
substituted benzofuran and benzodioxoles and analogs thereof)
RN 185406-35-3 HCAPLUS
CN Ethanone, 1-(7-methoxyspiro[1,3-benzodioxole-2,1'-cyclopentan]-4-yl)-2-(4-pyridinyl)- (9CI) (CA INDEX NAME)



IT 185406-34-2P 185406-37-5P 457935-53-4P
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(target compd.; prepn. and phosphodiesterase inhibitory activity of substituted benzofuran and benzodioxoles and analogs thereof)
RN 185406-34-2 HCAPLUS
CN Ethanone, 2-(3,5-dichloro-4-pyridinyl)-1-(7-methoxyspiro[1,3-benzodioxole-2,1'-cyclopentan]-4-yl)- (9CI) (CA INDEX NAME)



RN 185406-37-5 HCAPLUS
CN Ethanone, 1-(7-methoxyspiro[1,3-benzodioxole-2,1'-cyclopentan]-4-yl)-2-(4-pyridinyl)-, hydrochloride (9CI) (CA INDEX NAME)



● HCl

RN 457935-53-4 HCAPLUS
CN Ethanone, 2-(3,5-dichloro-4-pyridinyl)-1-(7-methoxyspiro[1,3-benzodioxole-2,1'-cycloheptan]-4-yl)- (9CI) (CA INDEX NAME)

L8 ANSWER 2 OF 3 HCAPLUS COPYRIGHT 2007 ACS on STN (Continued)



L8 ANSWER 3 OF 3 HCAPLUS COPYRIGHT 2007 ACS on STN
ED Entered STN: 27 Jan 1997
GI



AB The title compds. I [R1 and R2 are the same or different and each represents hydrogen, lower alkyl, cyano, etc., or R1 and R2 together with the adjacent carbon atom may form a saturated carbocyclic ring, or R2 together with R11 or R13, as will be described below, may form a single bond; R3 represents hydrogen, Ph or halogeno; R4 represents hydroxy, lower alkoxy, etc.; A represents O, etc.; B represents O, NR11, C(R12)(R13), etc. ; D represents a bond, etc.; and R5 represents aryl, heteroaryl, cycloalkyl, pyridine-N-oxide, cyano or lower alkoxycarbonyl; R11 = H, alkyl, etc.; R12, R13 = H, (un)substituted alkyl, etc.] are prepared The title compound II in vitro at 10-6 M gave 77% inhibition of phosphodiesterase IV.

ACCESSION NUMBER: 1997:56191 HCAPLUS
DOCUMENT NUMBER: 126:74738
TITLE: Preparation of heterocyclic compounds as phosphodiesterase IV inhibitors
INVENTOR(S): Kawakita, Takashi; Ohshima, Etsuo; Yanagawa, Koji; Iida, Kyoichiro; Koike, Rie; Ichimura, Michio; Manabe, Haruhiko; Ohmori, Kenji; Suzuki, Fumio; Nakasato, Yoshisuke
PATENT ASSIGNEE(S): Kyowa Hakko Kogyo Co., Ltd., Japan
SOURCE: PCT Int. Appl., 238 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 7
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9636624	A1	19961121	WO 1996-JP1327	19960520
W: AU, CA, CN, HU, JP, KR, NO, US				
RW: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2195755	A1	19961121	CA 1996-2195755	19960520
AU 9657029	A	19961129	AU 1996-57029	19960520
AU 705690	B2	19990527		
EP 771794	A1	19970507	EP 1996-915194	19960520
EP 771794	B1	20060503		
R: AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT, SE				
CN 1154697	A	19970716	CN 1996-190529	19960520
AT 325110	T	20060615	AT 1996-915194	19960520
ES 2258775	T3	20060901	ES 1996-915194	19960520
PT 771794	T	20060929	PT 1996-915194	19960520
NO 9700151	A	19970306	NO 1997-151	19970114
NO 317631	B1	20041129		
US 2002128290	A1	20020912	US 1997-974739	19971119
US 6514996	B2	20030204		
HK 1000785	A1	20060630	HK 1997-102285	19971128
US 6716987	B1	20040406	US 2001-23091	20011220

PRIORITY APPLN. INFO.:
JP 1995-121537 A 19950519
JP 1995-258651 A 19951005
WO 1996-JP1327 W 19960520
JP 1996-307781 A 19961119
JP 1996-307782 A 19961119
JP 1996-307783 A 19961119
US 1997-784187 B2 19970115
JP 1997-268399 A 19971001
JP 1997-268400 A 19971001
US 1997-974739 A3 19971119

OTHER SOURCE(S): MARPAT 126:74738
IT 185406-34-2P 185406-35-3P 185406-37-5P
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of heterocyclic compds. as phosphodiesterase IV inhibitors)
RN 185406-34-2 HCAPLUS
CN Ethanone, 2-(3,5-dichloro-4-pyridinyl)-1-(7-methoxyspiro[1,3-benzodioxole-2,1'-cyclopentan]-4-yl)- (9CI) (CA INDEX NAME)

L8 ANSWER 3 OF 3 HCAPLUS COPYRIGHT 2007 ACS on STN (Continued)



RN 185406-35-3 HCAPLUS
CN Ethanone, 1-(7-methoxyspiro[1,3-benzodioxole-2,1'-cyclopentan]-4-yl)-2-(4-pyridinyl)- (9CI) (CA INDEX NAME)



RN 185406-37-5 HCAPLUS
CN Ethanone, 1-(7-methoxyspiro[1,3-benzodioxole-2,1'-cyclopentan]-4-yl)-2-(4-pyridinyl)-, hydrochloride (9CI) (CA INDEX NAME)

L8 ANSWER 3 OF 3 HCAPLUS COPYRIGHT 2007 ACS on STN (Continued)



● HCl

IT 185407-83-4P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of heterocyclic compds. as phosphodiesterase IV inhibitors)
RN 185407-83-4 HCAPLUS
CN Spiro[1,3-benzodioxole-2,1'-cyclopentane]-4-carboxylic acid, 7-methoxy- (9CI) (CA INDEX NAME)